



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/661,696	09/12/2003	David D. Brandt	03AB014C/ALBRP303USC	7375
7590 12/21/2009				
Susan M. Donahue Rockwell Automation, 704-P, IP Department 1201 South 2nd Street Milwaukee, WI 53204				
EXAMINER				
BAUM, RONALD				
ART UNIT		PAPER NUMBER		
2439				
MAIL DATE		DELIVERY MODE		
12/21/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/661,696

Applicant(s)

BRANDT ET AL.

Examiner

RONALD BAUM

Art Unit

2439

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 October 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-9, 12-17, 19-21, 23, 25-41 and 45-50 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-9, 12-17, 19-21, 23, 25-41 and 45-50 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

1. This action is in reply to applicant's correspondence of 06 October 2009.
2. Claims 1-9, 12-17, 19-21, 23, 25-41 and 45-50 are pending for examination.
3. Claims 1-9, 12-17, 19-21, 23, 25-41 and 45-50 are rejected.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-9, 12-17, 19-21, 23, 25-41 and 45-50 are rejected under 35 U.S.C. 103(a) as being unpatentable over Swiler et al, U.S. Patent 7,013,395 B1 in view of Townsend, U.S. Patent 6,374,358 B1, and further in view of Godwind, U.S. Patent Publication US 2004/0059920 A1.

Prior Art's Broad Disclosure vs. Preferred Embodiments

As concerning the scope of applicability of cited references used in any art rejections below, as per MPEP § 2123, subsection R.5. Rejection Over Prior Art's Broad Disclosure Instead of Preferred Embodiments:

I. PATENTS ARE RELEVANT AS PRIOR ART FOR ALL THEY CONTAIN "The use of patents as references is not limited to what the patentees describe as their own inventions or to the problems with which they are concerned. They are part of the literature of the art, relevant for all they contain." In re Heck, 699 F.2d 1331, 1332-33, 216 USPQ 1038, 1039 (Fed. Cir. 1983) (quoting In re Lemelson, 397 F.2d 1006, 1009, 158 USPQ 275, 277 (CCPA 1968)). A reference may be relied upon for all that it would have reasonably suggested to one having ordinary skill in the art, including nonpreferred embodiments. Merck & Co. v. Biocryst Laboratories, 874 F.2d 804, 10 USPQ2d 1843 (Fed. Cir.), cert. denied, 493 U.S. 975 (1989). See also > Upsher-Smith Labs. v. Pamlab, LLC, 412 F.3d 1319, 1323, 75 USPQ2d 1213, 1215 (Fed. Cir. 2005) (reference disclosing optional inclusion of a particular component teaches compositions that both do and do not contain that component); < Celeritas Technologies Ltd. v. Rockwell International Corp., 150 F.3d 1354, 1361, 47 USPQ2d 1516, 1522-23 (Fed. Cir. 1998) (The court held that the prior art anticipated the claims even though it taught away from the claimed invention.). > See also MPEP § 2131.05 and § 2145, subsection X.D., which discuss prior art that teaches away from the claimed invention in the context of anticipation and obviousness, respectively.<

II. NONPREFERRED AND ALTERNATIVE EMBODIMENTS CONSTITUTE PRIOR ART

Disclosed examples and preferred embodiments do not constitute a teaching away from a broader disclosure or nonpreferred embodiments. In re Susi, 440 F.2d 442, 169 USPQ 423 (CCPA 1971). "A known or obvious composition does not become patentable simply because it has been described as somewhat inferior to some other product for the same use." In re Gurley, 27 F.3d 551, 554, 31 USPQ2d 1130, 1132 (Fed. Cir. 1994). Furthermore, "[t]he prior art's mere disclosure of more than one alternative does not constitute a teaching away from any of these alternatives because such disclosure does not criticize, discredit, or otherwise discourage the solution claimed...." In re Fulton, 391 F.3d 1195, 1201, 73 USPQ2d 1141, 1146 (Fed. Cir. 2004).

Swiler et al *generally* teaches and suggests (i.e., Abstract, figures 1-2 and associated descriptions in general) the limitations set forth in the claims below (e.g., claim 1), as modified by the Townsend and Godwin teachings as further described below.

5. As per claim 1; "A security analysis tool for an automation system, comprising:

an interface component that generates

a description of one or more industrial controllers, wherein

the description includes at least one of

shop floor access patterns,

Intranet access patterns,

Internet access patterns, or

wireless access patterns [ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted computer system/network configuration/topology (i.e., description of **factory assets** whereas factory automation IT/network elements involved in the operation of a given commercial/industrial/government environment (e.g., col. 1, lines 24-45, col. 5, lines 30-55) encompasses the use of at the very least programmable logic controllers of which industrial controllers are an associated architecture), clearly dealing with Intranet and Internet access patterns

insofar as network security per se is concerned) and attack template (i.e., model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.];

an analyzer component that generates

one or more security outputs

based on the description [*ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted computer system/network configuration/topology and attack template information, such that results (i.e., post analysis generated security outputs) used to evaluate (i.e., graphed output information)/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.];*

the one or more security outputs including

at least one output

deployed to the one or more industrial controllers

that adjusts a security parameter

associated with the one or more industrial controllers [*Townsend and further in view of Godwind below*]; and

a validation component

that periodically monitors the one or more industrial controllers

following deployment of the one or more security outputs

to determine one or more vulnerabilities related thereto

[*ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted computer system/network configuration/topology and attack template information, such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, by the operator/user of the computer system analysis tool, such that said attack analysis results are for the utilization on the target system analyzed such that said attacks (i.e., 'vulnerabilities related thereto') can be prevented/mitigated. The validation aspect applies insofar as the analysis tool clearly is used, at least on a 'periodic basis' forming the basis for the 'following deployment of the one or more security outputs' aspect, clearly encompassing the claimed limitations as broadly interpreted by the examiner.}]”.*

It is noted that Swiler et al, does not disclose the specific type of action taken upon vulnerability assessment results determination, insofar as additional security components are required (i.e., installation) upon a vulnerability or detected security problem so determined. However, the examiner asserts that it would have been obvious to one ordinary skill in the art at the time the invention was made for the adaptive countermeasure selection method/apparatus of Townsend to be combined with the validation component vulnerability assessment results of Swiler et al, insofar as the Swiler et al teaching of a computer system analysis tool requiring a responding mechanism to make use of the analysis tool output (i.e., the Townsend countermeasure selection method/apparatus installation countermeasures aspects, col. 3, lines 17-33, col. 7, lines 33-65), and would be in itself an obvious intended use. However, Townsend does not explicitly deal with the automated aspect of the countermeasures. Godwin teaches of using an automated tool to automatically (e.g., Godwin, ¶0019-0022, 0031) adjust security parameters (i.e., again, as a result of the Townsend countermeasure selection method/apparatus installation countermeasures aspects) for online storage systems (e.g., the industrial controller storage functionality per se in the industrial control/enterprise environment). Further, Godwin teaches the checking/editing/updating/etc., of security settings *manually* (e.g., Godwin, ¶0019-0022, 0031, 0073-0136, inclusive of bounds limitations on the parameter determination updating, etc.,) for network processing computers/processing elements, upon discerning via a security policy/rules criteria analysis that said security settings require said editing/updating/etc., is costly and error prone, and can be enhanced via automating the process.

Such motivation to combine would clearly be an obvious requirement, insofar as using the validation component vulnerability assessment results of Swiler et al to require the

vulnerability results to be utilized as a practical business aspect of requiring the vulnerability assessment in the first place (e.g., Townsend business concerns requiring countermeasures, col. 3, lines 1-50), as implemented in an automated manner because of the costly and error prone checking/editing/updating/etc., of security settings *manually* for network processing computers/processing elements, upon discerning via a security policy/rules criteria analysis that said security settings require said editing/updating/etc.

A recitation directed to the manner in which a claimed apparatus is intended to be used does not distinguish the claimed apparatus from the prior art if prior art has the capability to do so (See MPEP 2114 and Ex Parte Masham, 2 USPQ2d 1647 (1987)).

As per claim 12, this claim is the method claim for the system claim 1 above, and is rejected for the same reasons provided for the claim 1 rejection.

As per claim 16, this claim is the means plus function claim for the system claim 1 above, and is rejected for the same reasons provided for the claim 1 rejection.

6. Claim 2 *additionally recites* the limitation that; “The tool of claim 1,
at least one of
the interface component or
the analyzer component
operate on a computer and
receive

one or more factory inputs
that provide the description.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted (i.e., interface component) computer system/network configuration/topology (i.e., description of factory assets) and attack template (i.e., model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

7. Claim 3 *additionally recites* the limitation that; “The tool of claim 2,
the factory inputs include at least one of
user input,
model inputs,
schemas,
formulas,
equations,
files,
maps, or
codes.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted (i.e., interface component utilizing, at the very least, user input, model inputs, files, maps, and codes) computer system/network configuration/topology (i.e., description of factory assets) and attack template (i.e., model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

8. Claim 4 *additionally recites* the limitation that; “The tool of claim 2,
the factory inputs are processed by
the analyzer component to generate the security outputs,
the security outputs including
at least one of
manuals,
documents,
schemas,
executable,
codes,
files,
e-mails,

recommendations,
topologies,
configurations,
application procedures,
parameters,
policies,
rules,
user procedures, or
user practices
that are employed
to facilitate security measures in
an automation system.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted computer system/network configuration/topology and attack template information, such that results (i.e., post analysis generated security outputs) used to evaluate (i.e., graphed output information, utilizing, at the very least, topologies, recommendations, files, rules, configurations)/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

9. Claim 5 *additionally recites* the limitation that; “The tool of claim 1,
the interface component includes
at least one of
a display output having associated display objects and
at least one input
to facilitate operations with
the analyzer component,
the interface component is associated with
at least one of
an engine,
an application,
an editor tool,
a web browser, or
a web service.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted (i.e., interface component, utilizing, at the very least, input editing tools, and a display output having associated display objects for the results graphic output) computer system/network configuration/topology (i.e., description of factory assets) and attack template (i.e., model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a

function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

10. Claim 6 *additionally recites* the limitation that; “The tool of claim 5, the display objects include

at least one of

configurable icons,
buttons,
sliders,
input boxes,
selection options,
menus, or
tabs,

the display objects having

multiple configurable
dimensions,
shapes,
colors,
text,
data and
sounds

to facilitate operations with

the analyzer component.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted (i.e., interface component, utilizing, at the very least, GUI oriented input editing tools, and a display output having associated display objects for the results graphic output) computer system/network configuration/topology (i.e., description of factory assets) and attack template (i.e., model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

11. Claim 7 *additionally recites* the limitation that; “The tool of claim 5,
the at least one input includes

receiving user commands from at least one of

a mouse,

keyboard,

speech input,

web site,

remote web service,

camera, or

video input

to affect operations of

the interface component and
the analyzer component.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted (i.e., interface component, utilizing, at the very least, GUI oriented input editing tools, and a display output having associated display objects for the results graphic output) computer system/network configuration/topology (i.e., description of factory assets) and attack template (i.e., model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

12. Claim 8 *additionally recites* the limitation that; “The tool of claim 1,
the description includes

a model of one or more industrial automation assets
to be protected and
associated network pathways
to access the one or more industrial automation assets.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted computer system/network configuration/topology (i.e., description of **factory assets** whereas factory automation IT/network elements involved in the operation of a

Art Unit: 2439

given commercial/industrial/government environment (e.g., col. 1, lines 24-45, col. 5, lines 30-55) encompasses the use of at the very least programmable logic controllers of which industrial controllers are an associated architecture) and attack template (i.e., model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

13. Claim 9 *additionally recites* the limitation that; “The tool of claim 1,
the description
includes at least one of
risk data or
cost data
that is employed by
the analyzer component
to determine suitable security measures.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted computer system/network configuration/topology (i.e., description of factory assets) and attack template (i.e., model, clearly dealing with risk and effective cost insofar as network security per se is concerned) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to

counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

As per claim 13, this claim is the method claim for the system claim 9 above, and is rejected for the same reasons provided for the claim 9 rejection.

14. Claim 14 *additionally recites* the limitation that; “The method of claim 12, wherein generating the one or more security outputs includes generating one or more security outputs that include
- at least one of recommended
 - security components,
 - codes,
 - parameters,
 - settings,
 - related interconnection topologies,
 - connection configurations,
 - application procedures,
 - security policies,
 - rules,
 - user procedures, or
 - user practices.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted computer system/network configuration/topology and attack template information, such that results (i.e., post analysis generated security outputs) used to evaluate (i.e., graphed output information, utilizing, at the very least, topologies, recommendations, files, rules, configurations)/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

15. Claim 15 *additionally recites* the limitation that; “The method of claim 12, further comprising:

automatically deploying the one or more security outputs
to the one or more industrial controllers; and
utilizing the security outputs
to mitigate at least one of
unwanted network access and
network attack.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted computer system/network configuration/topology and attack template information dealing with hypothesized attack scenario(s), such that results used to

evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

16. As per claim 17; "A security validation system, comprising:

a scanner component

that automatically interrogate an industrial automation device

at periodic intervals for

security related data [*ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted computer system/network configuration/topology (i.e., polling/automatically interrogating of network machines (periodic interval scanning) and gathering associated data such as IP address, machine type, operating system, file system structure, etc.,) and attack template (i.e., model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.*];

a validation component

that automatically assesses security capabilities of the industrial automation device

based upon a comparison of

the security related data and

one or more predetermined security guidelines [ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted computer system/network configuration/topology (i.e., polling/automatically interrogating of network machines (periodic interval scanning) and gathering associated data such as IP address, machine type, operating system, file system structure, etc..) and attack template (i.e., model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities (i.e., a validation component ...) as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.]; and

a security analysis tool

that recommends interconnection of

one or more industrial automation devices

to achieve a specified security goal [ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the

provided computer system analysis tool using inputted computer system/network configuration/topology and attack template information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes (i.e., 'security analysis tool ... recommends interconnection ... a specified security goal ') in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.]; and

a component

that automatically adjusts

at least one security parameter in the industrial automation device

in response to detected security problems [*Townsend in view of Godwind as per claim 1 above*].”.

As per claim 30, this claim is the means plus function claim for the system claim 17 above, and is rejected for the same reasons provided for the claim 17 rejection.

17. Claim 19 ***additionally recites*** the limitation that; “The system of claim 17, the validation component performs at least one of
- a security audit,
 - a vulnerability scan,
 - a revision check,

an improper configuration check,
file system check,
a registry check,
a database permissions check,
a user privileges check,
a password check, or
an account policy check.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted computer system/network configuration/topology and attack template information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended (i.e., validation component, insofar as associated with improper configuration, vulnerability, file system check, user privileges check, etc.), clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

18. Claim 20 *additionally recites* the limitation that; “The system of claim 17,
the security guidelines
are automatically determined.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system

analysis tool using inputted computer system/network configuration/topology and attack template information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

19. Claim 21 *additionally recites* the limitation that; “The system of claim 46, the host-based component performs vulnerability scanning and auditing on devices, the network-based component performs vulnerability scanning and auditing on networks.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system (i.e., host-based/network-based component) analysis tool using inputted (i.e., vulnerability scanner component) computer system/network configuration/topology (i.e., auditing factory assets) and attack template (i.e., model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended (i.e., validation component), clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

20. Claim 23 *additionally recites* the limitation that; “The system of claim 21,
at least one of
the host-based component or
the network-based component
at least one of
non-destructively maps a topology of
information technology (IT) and
industrial automation devices,
checks revisions and configurations,
checks user attributes, or
checks access control lists.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system (i.e., host-based/network-based component) analysis tool using inputted (i.e., vulnerability scanner component) computer system/network configuration/topology (i.e., auditing of **factory assets** whereas factory automation IT/network elements involved in the operation of a given commercial/industrial/government environment (e.g., col. 1, lines 24-45, col. 5, lines 30-55) encompasses the use of at the very least programmable logic controllers of which industrial controllers are an associated architecture) and attack template (i.e., model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated

with the changes recommended (i.e., validation component), clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

21. As per claim 31; “A security learning system for an industrial automation environment, comprising:

a learning component

that monitors and learns industrial automation activities during

a training period [*ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool (i.e., learning/ monitoring/scanning component) using inputted computer system/network configuration/topology (i.e., polling/automatically interrogating of network machines (periodic interval scanning of automation activities) and gathering associated data such as IP address, machine type, operating system, file system structure, etc.,) and attack template (i.e., model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.*];
and

a detection component

that automatically triggers

a security event based upon

detected deviations of subsequent industrial automation activities
after the training period [ABSTRACT, figures 1-2 and
associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the
provided computer system analysis tool using inputted computer
system/network configuration/topology (i.e., polling/automatically
interrogating of network machines (periodic interval scanning)
and gathering associated data such as IP address, machine type,
operating system, file system structure, etc..) and attack template
(i.e., model) information dealing with hypothesized attack
scenario(s), such that results used to evaluate/make configuration
changes in the network to counter vulnerabilities (i.e., a detection
component ... trigger a security event ... after the training period)
as a function of the risks and costs associated with the changes
recommended, clearly encompassing the claimed limitations as
broadly interpreted by the examiner.],

wherein the security event includes

adjusting at least one security parameter
associated with the industrial automation environment
[Townsend in view of Godwind as per claim 1 above].”.

As per claim 39, this claim is the method claim for the system claim 31 above, and is
rejected for the same reasons provided for the claim 31 rejection.

As per claim 41, this claim is the means plus function claim for the system claim 31 above, and is rejected for the same reasons provided for the claim 31 rejection.

22. Claim 32 *additionally recites* the limitation that; “The system of claim 31, the industrial automation activities include at least one of
- a network activity or
- a device activity.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system (i.e., host-based device activity /network-based activity component) analysis tool using inputted (i.e., scanner automation activities component) computer system/network configuration/topology and attack template information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended (i.e., validation component), clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

23. Claim 33 *additionally recites* the limitation that; “The system of claim 31, the learning component including
- at least one of
- a learning model or

a variable.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool (i.e., learning/ monitoring/scanning component) using inputted computer system/network configuration/topology (i.e., polling/automatically interrogating of network machines (periodic interval scanning of automation activities) and gathering associated data such as IP address, machine type, operating system, file system structure, etc.,) and attack template (i.e., learning model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

24. Claim 34 *additionally recites* the limitation that; “The system of claim 31, the industrial automation activities include
at least one of

a number of network requests,
a type of network requests,
a time of requests,
a location of requests,
status information, or
counter data.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool (i.e., learning/ monitoring/scanning component) using inputted computer system/network configuration/topology (i.e., polling/automatically interrogating of network machines (periodic interval scanning of automation activities, such as number of network requests, type of network requests, location of requests, etc.,) and gathering associated data such as IP address, machine type, operating system, file system structure, etc.,) and attack template (i.e., learning model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

25. Claim 35 *additionally recites* the limitation that; “The system of claim 31, the detection component employs
at least one of
a threshold or
a range to determine the deviations.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool (i.e., learning detection/monitoring/scanning component) using inputted computer system/network configuration/topology (i.e., polling/automatically interrogating of network machines (periodic interval scanning of automation activities, such as number of network

requests, type of network requests, location of requests, etc.,) and gathering associated data such as IP address, machine type, operating system, file system structure, etc.,) and attack template (i.e., learning model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

26. Claim 36 *additionally recites* the limitation that; “The system of claim 35,
the at least one of
the threshold or
the range
are dynamically adjustable.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool (i.e., learning detection/monitoring/scanning component) using inputted computer system/network configuration/topology (i.e., polling/automatically interrogating of network machines (periodic interval scanning of automation activities, such as number of network requests, type of network requests, location of requests, etc.,) and gathering associated data such as IP address, machine type, operating system, file system structure, etc.,) and attack template (i.e., learning model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a

function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

27. Claim 37 *additionally recites* the limitation that; “The system of claim 33, the learning model includes

at least one of

mathematical models,
statistical models,
probabilistic models,
functions,
algorithms,
neural networks,
classifiers,
inference models,
Hidden Markov Models (HMM),
Bayesian models,
Support Vector Machines (SVM),
vector-based models, or
decision trees.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool (i.e., learning/ monitoring/scanning component) using inputted computer

system/network configuration/topology (i.e., polling/automatically interrogating of network machines (periodic interval scanning of automation activities) and gathering associated data such as IP address, machine type, operating system, file system structure, etc.) and attack template (i.e., learning model) information dealing with hypothesized (i.e., mathematical, statistical, probabilistic models, etc.) attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

28. Claim 38 *additionally recites* the limitation that; “The system of claim 31, the security event further includes
- at least one of
 - automatically performing corrective actions,
 - altering network patterns,
 - adding security components,
 - removing security components,
 - adjusting security parameters,
 - firing an alarm, notifying an entity,
 - generating an e-mail,
 - interacting with a web site, or
 - generating security data
- to mitigate network security problems.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted computer system/network configuration/topology (i.e., polling/automatically interrogating of network machines (periodic interval scanning) and gathering associated data such as IP address, machine type, operating system, file system structure, etc.) and attack template (i.e., model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities (i.e., security event ... altering network patterns ... adjusting security parameters, generating security data, etc.) as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

29. Claim 40 *additionally recites* the limitation that; “The method of claim 39, further comprising:

employing the at least one data transfer pattern
as input for
a security analysis process; and
adjusting at least one security parameter
associated with the network of industrial controllers
based on
the security analysis process and
the input.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool (i.e., learning/ monitoring/scanning component) using inputted computer system/network configuration/topology (i.e., polling/automatically interrogating of network machines (periodic interval scanning of automation activities) and gathering associated data such as IP address, machine type, operating system, file system structure, etc.,) and attack template (i.e., learning model) information dealing with hypothesized (i.e., mathematical, statistical, probabilistic models, etc.,) attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

30. Claim 45 *additionally recites* the limitation that; “The tool of claim 1, the analyzer component is adapted for
partitioned security specification entry and
sign-off from various groups.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted computer system/network configuration/topology (i.e., the network partitioned security specification) and attack template (i.e., inclusive of authentication aspects, insofar as sign-on/sign-off, at the very least would be concerned) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in

the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

31. Claim 46 *additionally recites* the limitation that; “The system of claim 17,
the scanner component and
the validation component
are at least one of
a host-based component or
a network-based component.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system (i.e., host-based/network-based component) analysis tool using inputted (i.e., scanner component) computer system/network configuration/topology (i.e., description of factory assets) and attack template (i.e., model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended (i.e., validation component), clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

32. Claim 47 *additionally recites* the limitation that; “The system of claim 21,
at least one of

the host-based component or
the network-based component
at least one of
determines susceptibility to
common network-based attacks,
searches for
open Transmission Control Protocol/User Datagram Protocol (TCP/UDP)
ports,
scans for
vulnerable network services,
attempts to gain identity information about
end devices that relates to
hacker entry, or
performs vulnerability
scanning and
auditing
on
firewalls,
routers,
security devices, and
factory protocols.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system (i.e., host-based/network-based component) analysis tool using inputted (i.e., vulnerability scanner component) computer system/network configuration/topology (i.e., auditing factory assets) and attack template (i.e., model) information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended (i.e., validation component), clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

33. Claim 48 *additionally* recites the limitation that; “The system of claim 1, the validation component automatically installs

one or more security components

in response to the one or more vulnerabilities.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted computer system/network configuration/topology and attack template information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended (i.e., validation component, insofar as associated with improper configuration, vulnerability, file system check, user privileges check, etc.), as modified by Townsend/Godwin insofar as the automated update of security

parameters corresponds to said parameters as part of the installation criteria of the security parameters/components for the industrial controller environment, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

34. Claim 49 *additionally* recites the limitation that; “The system of claim 1, wherein the analyzer component further performs an automated action
- that alters access patterns to the one or more industrial controllers
- upon detecting a deviation from the at least one of
- shop floor access patterns,
- Intranet access patterns,
- Internet access patterns, or
- wireless access patterns
- in excess of a threshold.”.

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted computer system/network configuration/topology and attack template information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended (i.e., validation component, insofar as associated with improper configuration, vulnerability, file system check, user privileges check, etc.), as modified by Townsend/Godwin insofar as the automated update of security parameters ('... alters access patterns ...') corresponds to said parameters as part of the

installation criteria ('... detecting a deviation from ... in excess of a threshold ...' e.g., Godwin, ¶0071-0078) of the security parameters/components for the industrial controller environment, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

35. Claim 50 ***additionally*** recites the limitation that; "The system of claim 12, wherein the at least one automated security event includes
at least disabling network attempts to access
the one or more industrial controllers."

The teachings of Swiler et al are directed towards such limitations (i.e., ABSTRACT, figures 1-2 and associated descriptions, col. 3, lines 10-col. 9, line 19, whereas the provided computer system analysis tool using inputted computer system/network configuration/topology and attack template information dealing with hypothesized attack scenario(s), such that results used to evaluate/make configuration changes in the network to counter vulnerabilities as a function of the risks and costs associated with the changes recommended (i.e., validation component, insofar as associated with improper configuration, vulnerability, file system check, user privileges check, etc.), as modified by Townsend/Godwin insofar as the automated update of security parameters/events corresponds to said parameters/events as part of the installation criteria of the security parameters/events/components for the industrial controller environment, clearly encompassing the claimed limitations as broadly interpreted by the examiner.).

Response to Amendment

36. As per applicant's argument concerning the lack of teachings by Swiler et al in view of Townsend of the automatic installation of security components/events, and the detection of deviation of threshold aspects (Applicant's arguments of 06 October 2009, p. 16-20), the argument is moot, given the new basis for rejection.

37. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Conclusion

38. Any inquiry concerning this communication or earlier communications from examiner should be directed to Ronald Baum, whose telephone number is (571) 272-3861, and whose unofficial Fax number is (571) 273-3861 and unofficial email is Ronald.baum@uspto.gov. The examiner can normally be reached Monday through Thursday from 8:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edan Orgad, can be reached at (571) 272-7884. The Fax number for the organization where this application is assigned is **571-273-8300**.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. For more information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ronald Baum

Patent Examiner

/R. B./

Examiner, Art Unit 2439

/Edan Orgad/

Supervisory Patent Examiner, Art Unit 2439

